

	Stand alone Access and Access Control units	
	Dahua Access & Accessories.....	7-13
	KIT Video Door Phone	
	Dahua Video Door Phone Kit.....	14
	Video Door Phone	
	Dahua IP Modular Video Door Phone.....	14
	Modular Video Door Phone	
	Dahua VDP Accessories.....	16
	Modular Video Door Phone	
	Dahua 2-Wire Modular Video Door Phone	17
	Accessories CCTV connectors	
	Connectors	22
	Analog Cameras	
	Dahua 2MP Analog Cameras	23
	Analog Cameras	
	Dahua 5MP Analog Cameras	31
	Analog Cameras	
	Dahua 8MP Analog Cameras	35
	Bracket For Cameras	
	Dahua Camera Bracket.....	37
	Analog AI XVR's	
	Dahua XVR's	40
	Analog XVR's	
	Dahua 4K XVR's	41
	Storage Solution	
	Western Digital -Seagate.....	46
	SD Cards	47

	IP 2MP Cameras	
	Dahua 2MP IP Cameras	48
	IP 4MP Cameras	
	Dahua 4MP IP Cameras.....	57
	IP 5MP Cameras	
	Dahua 5MP IP Cameras	63
	IP 8MP Cameras	
	Dahua 8MP IP Cameras	72
	IP Thermal Cameras	
	Dahua Thermal IP Cameras.....	75
	Poe Switches	
	Dahua Switches & Testers.....	77
	NVR's	
	Dahua Non Poe NVR's	80
	NVR's Poe	
	Dahua Poe NVR's	86
	Dahua Ethernet Accessories	
	Dahua Accessories	90
	Dahua Anticorrosion cameras.....	92
	Dahua Radar for perimeter protection.....	93
	Pulsar Solution	
	Pulsar Power Supply Module.....	95
	Pulsar Metal Boxes for DVR's.....	96
	Pulsar Power Supply.....	97
	Pyronix Alarm	
	Pyronix Alarm Panel & Accessories	98
	Pyronix Detectors	99

	Bosch Alarm Bosch Alarm Panel & Accessories	102
	Vanderbilt Alarm Vanderbilt Alarm Panel & Accessories	103
	Alean Detectores Alean Detectors.....	104
	GJD Detectors GJD Detectors.....	105
	ALEPH Contacts GJD Aleph Magnetic Contacts	106
	Vector Electronics Power Supply	107
	MeanWell Power Supply	108
	Cables & Communicator Modules UTP -Coaxial- Alarm Cables	109
	Vector Electronics High End Power Supply	109
	Ajax Systems Wireless Alarm System	110
	Dji Drones Advanced Drones Systems	119
	-119	

Access Control & Accessories





Advanced identification with access control system


Fingerprint


Time Attendance


Wi-Fi


Face Recognition


Access Control


Alarm In/Out

ACC.034 ASC1202C-D Two Door Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Communication	RAM
392,00€	X4	Door Sensor × 2	Exit Button × 2	Wiegand RS485	2	Alarm Relay × 4	TCP/IP	16M

ACC.036 ASC1204C-S Four-door Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Communication	RAM
462,00€	X8	Door Sensor × 4	Exit Button × 4	Wiegand 26/34 RS485	4	Alarm Relay × 8	TCP/IP	16M

ACC.043 ASC1202B-D Two-door Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Communication	RAM
163,00€	X4	Door Sensor × 2	Exit Button × 2	Wiegand 26/34 RS485	2	Alarm Relay × 4	TCP/IP	16M

ACC.051 ASI7213Y-V3 Face Recognition Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Panel	Camera
995,00€	X1	Door Sensor × 1	Exit Button × 1	Wiegand 26/34 RS485	1	Alarm Relay × 2	7 inch IPS display TCP/IP	2mp

ACC.073 ASC1204C-D Two Door Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Communication	RAM
554,00€	X4	Door Sensor × 4	Exit Button × 4	Wiegand RS485	4	Alarm Relay × 8	TCP/IP	16M

ACC.074 ASC1202B-S Two-door Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Communication	RAM
106,00€	X2	Door Sensor × 2	Exit Button × 2	Wiegand 26/34 RS485	2	Alarm Relay × 2	TCP/IP	16M

ACC.074 ASC1204B-S Two-door Access Controller



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Lock Relay	Output Interface	Communication	RAM
185,00€	X4	Door Sensor × 4	Exit Button × 4	Wiegand 26/34 RS485	4	Alarm Relay × 1	TCP/IP	16M



ACC.044 ASI1212D Standalone Fingerprint Controller



Price	Keyboard	Records	Security Access	To Reader	Network	Output Interface	Communi cation	RAM
323,00€	Touch LCD display	30.000 cards 150.000 records	Fingerprint EM card Password	Wiegand 26/34 RS485	P2P	1x Alarm 1x Door sen- sor 1x Exit button	P2P, DHCP	32M

ACC.035 ASI1201E Water-proof RFID Standalone



Price	Card type	Input Interface	Input Interface	Voice prompt	LED Indicator	Cardholders	Communi cation	Processor
117,00€	Mifare card	Door Sensor × 1	Exit Button × 1	-	Power/ Status	30000 legal card	TCP/IP	16Bit

ACC.037 ASI1201A RFID Standalone



Price	Card type	Input Interface	Input Interface	Voice prompt	LED Indicator	Cardholders	Communi cation	Processor
153,00€	Mifare card	Door Sensor × 1	Exit Button × 1	-	Power/ Status	30000 legal card	TCP/IP	16Bit

ACC.045 ASI1201A-D Standalone Controller



Price	Card type	Records	Security Access	To Reader	Network	Output Interface	Communi cation	RAM
153,00€	Proximity 125K	30.000 cards 150.000 records	EM card Password	Wiegand 26/34 RS485	TCP/IP to PC	2x Alarm 1x Door sen- sor 1x Exit button	TCP/IP to PC	16M

FIN.001 ASI1212A-(V2) Fingerprint Standalone Access Control Dahua



Price	Accessible Card Reader	Input Interface	Input Interface	To Reader	Output Interface	Output Interface	Communi cation	RAM
369,00€	Mifare 13,56MHz	Door Sensor × 1	Exit Button × 1	Wiegand RS485	Lock Rel 4	Alarm Relay × 1	RJ45(10/100 M)	16M

PLH.034
ASR1101M
Vandal-proof RFID
Reader



106,00€	Card Supports	LED Indicator	Protection Level
----------------	----------------------	----------------------	-------------------------



13.56MHz (Mifare)	Power Status	IK08
-------------------	--------------	------

ACK.004
ASR1201D
Slim Water-proof RFID
Reader



75,00€	Card Supports	LED Indicator	Protection Level
---------------	----------------------	----------------------	-------------------------



13.56MHz (Mifare)	Power Status	IP65
-------------------	--------------	------

PLH.047
ASR1101M-D
Vandal-proof RFID
Reader



106,00€	Card Supports	LED Indicator	Protection Level
----------------	----------------------	----------------------	-------------------------



125KHz (EM-ID)	Power Status	IK08
----------------	--------------	------

ACC.046
ASR1100B
Water Proof RFID
Reader



65,00€	Card Supports	LED Indicator	Protection Level
---------------	----------------------	----------------------	-------------------------



13.56MHz (Mifare)	Power Status	IP66
-------------------	--------------	------

ACC.047
ASR1100B-D
Water-proof RFID
Reader



65,00€	Card Supports	LED Indicator	Protection Level
---------------	----------------------	----------------------	-------------------------



125KHz (EM-ID)	Power Status	IP66
----------------	--------------	------

PSC.011
Power Supply for
Access Controller



Price	Output Voltage	Output Current	Rated Power	Over Voltage Protection	Over Current Protection	Inrush Current	Backup	Input Voltage
40,00€	13,8VDC	8A	117W	15VDC	10A	Cold Start 36A 230VAC	Battery input	85-264 VAC

Access Control Accessories

RBT.000
DS-K7P01
Exit Button



14,00€	Output Contact	Current Rating	Dimension
--------	----------------	----------------	-----------



NO/NC/COM Contact	3A@36V DC Max	86×86×28.9 mm
-------------------	---------------	---------------

RBT.001
DS-K7P02
Exit Button



14,00€	Output Contact	Current Rating	Dimension
--------	----------------	----------------	-----------



NO/NC/COM Contact	3A@36V DC Max	90×35×28.9 mm
-------------------	---------------	---------------

MGL.011
ASF702
Mini Electronic Lock



69,00€	Working voltage	Anti pull	Working current
--------	-----------------	-----------	-----------------



DC12V	500kg	320mA
-------	-------	-------

MGL.012
ASF705
Electronic Lock



89,00€	Working voltage	Anti pull	Working current
--------	-----------------	-----------	-----------------



DC12V	500kg	320mA
-------	-------	-------

MGL.000
DS-K4T100
Electric Bolt



62,00€	Unlock Method	Input Voltage	Working Current
--------	---------------	---------------	-----------------



Current Interruption	12VDC	≤1.2A (Startup Current) 0.2A (Standby)
----------------------	-------	--

MGL.008
DS-K4T108
Electric Bolt



48,00€	Unlock Method	Input Voltage	Carrier Frequency
--------	---------------	---------------	-------------------



Current Interruption	12VDC	≤1.2A (Startup Current) 0.2A (Standby)
----------------------	-------	--

BASE.107
DS-K4T100-U1
U-bracket of Electric Bolt



16,00€	Support	Metal	Use
--------	---------	-------	-----



DS-K4T108 DS-K4T100	Aluminium alloy	Suitable for lower edge frameless glass door
---------------------	-----------------	--

MGL.009
DS-K4T108-U1
U-bracket of Electric Bolt



16,00€	Support	Metal	Use
--------	---------	-------	-----



DS-K4T108 DS-K4T100	Aluminium alloy	Suitable for lower edge frameless glass door
---------------------	-----------------	--

MGL.007
DS-K4H188S
One-door magnetic lock



32,00€	Maximum Thrust	Working Current	Input Voltage
--------	----------------	-----------------	---------------



180kg(350 Lbs) Linear Thrust°	300mA	12 VDC
-------------------------------	-------	--------

BASE.109
DS-K4H188-LZ
Accessory of Magnetic Lock



22,00€	Accessory of Magnetic Lock	62,00€
--------	----------------------------	--------



MGL.013

ASF500A
Magnetic Lock
Dahua



153,00€	Maximum Thrust	Working Current	Input Voltage
	500kg(350 Lbs) Linear Thrust°	480mA/ 240mA	DC12V or DC24V

BASE.165

ASF500ZL
Z-Bracket Mount
Dahua



48,00€

BASE.166

ASF500L
L-Bracket Mount
Dahua



24,00€

MGL.011

ASF702
Mini Electronic
Lock



89,00€	Working voltage	Anti pull	Working current
	DC12V	500kg	320mA



MGL.012

ASF705
Electronic Lock



89,00€	Working voltage	Anti pull	Working current
	DC12V	500kg	320mA



MGL.000

DS-K4T100
Electric Bolt



62,00€	Unlock Method	Input Voltage	Working Current
	Current Interruption	12VDC	≤1.2A (Startup Current) 0.2A (Standby)



MGL.008

DS-K4T108
Electric Bolt



48,00€	Unlock Method	Input Voltage	Carrier Frequency
	Current Interruption	12VDC	≤1.2A (Startup Current) 0.2A (Standby)



BASE.107

DS-K4T100-U1
U-bracket of Electric
Bolt



16,00€	Support	Metal	Use
	DS-K4T108 DS-K4T100	Aluminium alloy	Suitable for lower edge frameless glass door



MGL.009

DS-K4T108-U1
U-bracket of Electric
Bolt



16,00€	Support	Metal	Use
	DS-K4T108 DS-K4T100	Aluminium alloy	Suitable for lower edge frameless glass door



IP & 2-WIRE Video Door Phones



Access Video Door Phone

MVD.032
VTO3211D-P
IP 1-button Villa
Outdoor Station



242,00€	Call Buttons	Resolution	Communication
	1Button	2MP IP	TCP/IP

MVD.031
VTO3211D-P2
IP 2button Villa
Outdoor Station



272,00€	Call Buttons	Resolution	Communication
	2Button	2MP IP	TCP/IP

MVD.030
VTO3211D-P4
IP 4-button Villa
Outdoor Station



301,00€	Call Buttons	Resolution	Communication
	4Button	2MP IP	TCP/IP

MVD.029
VTO2101E-P-S1
IP Villa Outdoor
Station



220,00€	Call Buttons	Resolution	Communication
	1Button	2MP IP	TCP/IP

MVD.052
VTO2111G-WP
Wi-Fi Villa Outdoor
Station



189,00€	Call Buttons	WiFi	Resolution
	1Button		1MP IP 108

ACC.057
VTH1550CH-S2
WiF IP Monitor Unit



237,00€	Viewing Area	WiFi	Communication
	7-in. LCD, Capacitive		TCP/IP

ACC.039
VTH2421FB-P
IP Monitor Unit



226,00€	Viewing Area	WiFi	Communication
	7-in. Fet, Capacitive	-	TCP/IP

ACC.050
VTH2421FW-P
WiF IP Monitor Unit



226,00€	Viewing Area	Res.	Communication
	7-in. LCD, Capacitive	1024 600	TCP/IP

VID.002
VTNS1060A
Network power
supply for IP System



59,00€	Voltage	OUTPUT	Communication
	24VDC	8	TCP/IP

MVD.033 VTO2000A-C

Main Unit Video Door Phone



235,00€	Resolution	Interface	Protection level
---------	------------	-----------	------------------



1,3MP IP	TCP/IP	IP54
----------	--------	------

BUT.013

VTO2000A-B1
Modular Button Unit



50,00€	Physical Button	Communication	Protection level
--------	-----------------	---------------	------------------



1Button	RS485	IP54
---------	-------	------

Modular Button Unit

BUT.006

VTO2000A-B



55,00€	Physical Button	Communication	Protection level
--------	-----------------	---------------	------------------



3Button	RS485	IP54
---------	-------	------

BUT.012

VTO2000A-B5
Modular Button Unit



60,00€	Physical Button	Communication	Protection level
--------	-----------------	---------------	------------------



5Button	RS485	IP54
---------	-------	------

ACC.040

VTO2000A-R

Modular Card Reader Unit



71,00€	Card type	Communication	Protection level
--------	-----------	---------------	------------------



EM Card	RS485	IP65
---------	-------	------

BUT.011

VTO2000A-K
Modular N Unit



148,00€	Physical Button	Communication	Protection level
---------	-----------------	---------------	------------------



Telephone Numbers	RS485	IP54
-------------------	-------	------

CAP.001

VTO2000A-E

Blank Module Unit



38,00€	Physical Button	Communication	Protection level
--------	-----------------	---------------	------------------



-	-	IP65
---	---	------

FIN.000

VTO2000A-F

Fingerprint Module Unit



208,00€	Physical Button	Communication	Protection level
---------	-----------------	---------------	------------------



Finger Print	RS485	IP65
--------------	-------	------

MVD.039
VTO4202F-P
Villa Door Station
IP & 2 - wire

242,00€

Resolution Interface Protection level

2MP 160° PoE& Power supply by 2-wire IP65 IK07

MVD.040
VTO4202F-MB1
1-Button Module

43,00€

MVD.041
VTO4202F-MB2
2-Button Module

50,00€

MVD.042
VTO4202F-MB5
5-Button Module

64,00€

MVD.043
VTO4202F-MK
Keypad Module

133,00€

MVD.044
VTO4202F-ML
Indicator Lights

43,00€

MVD.045
VTO4202F-MN
Blank Module

22,00€

MVD.046
VTO4202F-MR
Card Reader

50,00€

MVD.047
VTO4202F-MS
Display Module

64,00€

ACC.029
VTH5222CH
2-Wire IP Indoor Monitor

302,00€

Viewing Area Alarm Inputs Communication

7-in. Fet, Capacitive 6in/10u 1RS485 TCP/IP

Πάτησε εδώ και κατέβασε την
πλήρη παρουσίαση της λύσης



MVD.038
VTO2202F-P
Villa Door Station
IP & 2 - wire

NEW



301,00€	Resolution	Interface	Protection level
---------	------------	-----------	------------------



2MP 180°	PoE & Power supply by 2-wire	IP55 IK07
-------------	---------------------------------------	--------------

BASE.196
VTM114
Surface mounted
Box

NEW



34,00€



BASE.197
VTM115
Surface mounted
Box

NEW



25,00€

BASE.198
VTM117
Surface mounted
Box

NEW



23,00€

BASE.202
VTM128
Mount box

NEW



96,00€

BASE.200
VTM126
Panel

NEW



96,00€

BASE.199
VTM125
Panel

NEW



76,00€

BASE.201
VTM127
Mount box

NEW



84,00€

ACC.057
VTH1550CH-S2
WiF IP Monitor Unit



237,00€

Viewing Area	WiFi	Communication
--------------	------	---------------

7-in. LCD,
Capacitive

TCP/IP

POE.033
VTNS1006A-2
2-wire switch



230,00€

Power	Connection	Transmission
-------	------------	--------------



24V

Up to 6
indoor
monitors

Power &
Signal

ACC.038

DHI-VTH5221DW

WiF IP Monitor Unit

292,00€	Viewing Area	WiFi	Communication
---------	--------------	------	---------------



7-in. LCD, Capacitive		TCP/IP
-----------------------	--	--------

ACC.041

VTH1550CHM

IP Monitor Unit

239,00€	Viewing Area	WiFi	Communication
---------	--------------	------	---------------



7-in. Fet, Capacitive	-	TCP/IP
-----------------------	---	--------

MGL.011

ASF702

Mini Electronic Lock

89,00€	Working voltage	Anti pull	Working current
--------	-----------------	-----------	-----------------



DC12V	500kg	320mA
-------	-------	-------

MGL.012

ASF705

Electronic Lock

116,00€	Working voltage	Anti pull	Working current
---------	-----------------	-----------	-----------------



DC12V	500kg	320mA
-------	-------	-------

BASE.096

VTOF002-v2



93,00€



BASE.092

VTOB113-v2



91,00€



BASE.161

VTOB111-V2



44,00€



BASE.093

VTOF003-V2



107,00€



BASE.140

VTOB114-V2



107,00€



BASE.160

VTOB112-V2



53,00€



BUT.008
VTO2000A-2
2-Wire IP Villa
Outdoor Station



278,00€	Call Buttons	Resolution	Communication
	1Button	1.3MP	TCP/IP

MVD.019
VTO2000A-C-2
2-Wire Villa Outdoor
Station Modular



268,00€	Call Buttons	Resolution	Communication
	1Button	1.3MP	TCP/IP

ACC.013
VTH1550CHW-2
2-Wire indoor



317,00€	Viewing Area	Alarm Inputs	Communication
	7-in. LCD, Capacitive	6in/10in RS485	TCP/IP

BASE.171
VTM123
Desktop Mounted
Bracket Dahua for
VTH monitors



22,00€	
--------	--

VID.003
VTNC3000A
2-Wire Network
Controller



75,00€	Voltage	Inputs	Communication
	24VDC	4 group of 2-wire port	RJ45/LAN

RED.004
PCX-PTAG
Proxy TAG



12,00€

BASE.177
VTOB108
Aluminum
surface box



33,00€	
--------	--

PSC.090
ADS-65LSI-191(24V2.5A)



Price
34,00€

MOD.024
DEE1010B
Extension mode door
open



50,00€	
--------	--

Connectors

BNC.014
KBM
BNC Connector CaP

Price
1,80€

Connector




BNC.015
KBM-HD
BNC Connector CaP HD

Price
3,10€

Connector




PLI.000
PROCAP
Power Supply 12V 3A
Open Frame Type

Price
110,00€

Tools




CUT.000
SPC.
SPC Cable Cutter CAP
Tools

Price
11,20€

Tools




BNC.012
BNC Connector with
screw terminal

Price
0,90€

Connector



BNC.016
RCA Connector with
screw terminal

Price
1,40€

Connector



CONF.000
DCF
Power Connector with
screw terminal

Price
0,70€

Connector



CONM.000
DCM
Power Connector with
screw terminal

Price
0,70€

Connector



GLI.001
Ground Loop Isolator
Filter

Price
18,00€

Connector



FIL.001
DC Power Filter

Price
10,60€

Connector



MIC.002
CCTV Microphone

Price
14,00€

Microphone



BNC.007
BNC to RCA
Female Adapter

Price
1,60€

Connector



BYS.020
RJ45
RJ45 Connector
100PCS

Price
10,00€

Connector



PCS.000
CS04
Power Supply Cable
Splitter 1 to 4

Price
9,00€



PCS.002
CS08
Power Supply Cable
Splitter 1 to 8

Price
12,00€



HD Analog 4 in 1 cameras



Full-color Camera Break The Shadow With Color

7/24 surveillance in Full Color



CAM2000D.043
HAC-T1A21



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
33,00€	2MP Analog	2,8mm	20m	93 °	-	IP67	0,04Lux	PFA135

CAM2000O.092
HAC-HFW1200C



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
35,00€	2MP Analog	2.8mm	30m	101°	-	IP67	0,02Lux	PFA134

CAM2000D.033
HAC-T2A21



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
40,00€	2MP Analog	2,8mm	20m	93°	-	IP67	0,04Lux	PFA13A PFB204W

CAM2000O.043
HAC-B2A21



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
38,00€	2MP Analog	3,6mm	20m	93°	-	IP67	0,04Lux	PFA13A

CAM2000D.034
HAC-T3A21-VF



Price	Resolution	Lens	Distance IR
75,00€	2MP Analog	2,7-12mm	30m

CAM2000O.058
HAC-B4A21-VF



Price	Resolution	Lens	Distance IR
81,00€	2MP Analog	2,7-12mm	30m

CAM2000D.031 HAC-HDW1200M



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
44,00€	2MP Analog	2,8mm	30m	87,5°	-	IP67	0,02 Lux	PFA13A-E PFB204W

CAM2000D.073 HAC-HDW1200TLMQ



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
48,00€	2MP Analog	2,8mm	30m	101°	-	IP67	0,02 Lux	PFA13G

CAM2000O.047 HAC-HFW1200T



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
45,00€	2MP Analog	2,8mm	30m	87,5°	-	IP67	0,02 Lux	PFA134

CAM2000D.074 HAC-HDW1200TMQ-A



Price	Resolution Lens	Audio	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
56,00€	2MP 2.8mm	built-in mic	60m	101°	-	IP67	0,02 Lux	PFA137

CAM2000O.037 HAC-HFW1200TL



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
43,00€	2MP Analog	2,8mm	40m	87,5°	-	IP67	0,02 Lux	PFA134

CAM2000O.038 HAC-HFW1200TL-A



Price	Resolution	Lens	Distance IR	Field of View	Built-in mic	Protection Level	Min. Illumination	Bracket
53,00€	2MP Analog	3,6mm	80m	87,5°		IP67	0,02 Lux	PFA134

CAM2000O.082 HAC-HFW1230T-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
64,00€	2MP Analog	3,6mm	30m	86.9 °	-	IP67	0,02Lux	PFA134 PFA152-E

CAM2000D.032 HAC-HDW1230M



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
56,00€	2MP Analog	3,6mm	30m	86.9°	-	IP67	0,005Lux	PFB204W PFA13A-E

CAM2000O.039 HAC-HFW1230T



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
60,00€	2MP Analog	3,6mm	30m	86.9 °	-	IP67	0,005Lux	PFA134

CAM2000D.040 HAC-HFW1230TL



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
55,00€	2MP Analog	3,6mm	40m	86.9°	-	IP67	0,005Lux	PFA134 PFA12A

CAM2000D.030 HAC-HDW1230EM-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
67,00€	2MP Analog	3,6mm	50m	86.9°	-	IP67	0,005Lux	PFA130-E PFB204W

CAM2000O.041 HAC-HFW1230TL-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
64,00€	2MP Analog	3,6mm	80m	86.9°	-	IP67	0,005Lux	PFA134 PFA12A

CAM2000O.042 HAC-HFW1230D



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
72,00€	2MP Analog	3,6mm	90m	86.9°	-	IP67	0,005Lux	PFA134

CAM2000D.051 HAC-HDW1230T-Z-A-2712



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
105,00€	2MP Analog	2.7-12mm	60m	101.7° 32.3°	-	IP67	0,005Lux	PFA130-E PFB203W

CAM2000O.045 HAC-HFW1230R-Z-IRE6



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
105,00€	2MP Analog	2.7-12mm	60m	101.7° 32.3°	-	IP67	0,005Lux	FA130-E

CAM2000D.029 HAC-HDW1200EM-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
61,00€	2MP Analog	2,8mm	50m	87.5°	-	IP67	0,02Lux	PFA130-E PFB204W

CAM2000O.059 HAC-HFW1200T-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
55,00€	2MP Analog	3,6mm	30m	87.5°	-	IP67	0,02Lux	PFA134

CAM2000D.035 HAC-HDW1200T-Z



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
92,00€	2MP Analog	2,7-12mm	60m	105.9° 33.4°	-	IP67	0,02Lux	PFA130-E PFB203W

CAM2000O.044 HAC-HFW1200R-Z-IRE6



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
96,00€	2MP Analog	2,7-12mm	60m	05.9° 33.4°	-	IP67	0,02Lux	PFA130-E

CAM2000O.067 HAC-HFW1200D-S4



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
65,00€	2MP Analog	3,6mm	80m	87.5°	-	IP67	0,02Lux	PFA130-E PFB152-E

CAM2000O.066 HAC-HFW2241E-A



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
97,00€	2MP Analog	3,6mm	40m	86,9°	-	IP67	0,004Lux	PFA121 PFB152-E

CAM2000D.054 HAC-HDW2241T-A



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
102,00€	2MP Analog	2,8m m	40m	86,9°	-	IP67	0,004Lux	PFB204W PFA121 PFB152-E

CAM2000P.007 HAC-HUM3201B



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
117,00€	2MP Analog	2,8mm	40m	92°	-	-	0,005Lux	-

CAMSPD.120 SD22204I-GC



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
230,00€	2MP Analog	2.7mm ~11mm	-	112.5° ~ 30°	-	IP66 IK10	0,05Lux	PFB203W PFA137 PFB152-E

CAMSPD.121 SD42212I-HC



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
417,00€	2MP Analog	5.3mm ~64mm	-	58.2° ~ 4.8°	Yes	IP66 IK10	0,005Lux	PFB302W PFA150 PFB151

CAMSPD.089 SD49225I-HC



Price	Resolution	Lens	Distance IR	Field of View	Zoom	Protection Level	Min. Illumination	Bracket
520,00€	2MP Analog	4.8mm - 120mm	100m	62.8° ~2.6°	X25	IP66	0,005Lux	PFB305W

CAMSPD.090 SD59230I-HC



Price	Resolution	Lens	Distance IR	Field of View	Zoom	Protection Level	Min. Illumination	Bracket
1.043€	2MP Analog	4.5mm - 135mm	150m	67.8° ~2.4°	X30	IP66	0,05Lux	PFB300S

CAM2000O.069 HAC-HFW1239T-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
72,00€	2MP Analog	3,6mm	20m	103.6°	-	IP67	0,05Lux	PFA130-E PFB152-E

CAM2000D.056 HAC-HDW1239TL-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
61,00€	2MP Analog	2.8mm	20m	126.2°	-	IP67	0,05Lux	PFA130-E PFB152-E

CAM2000D.057 HAC-HDW1239TL-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
64,00€	2MP Analog	2.8mm	20m	126.2°	-	IP67	0,05Lux	PFA130-E PFB152-E

CAM2000O.068 HAC-HFW1239TLM-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
80,00€	2MP Analog	2.8mm	40m	86.9°	-	IP67	0,005Lux	PFA134 PFB152-E

5MP Analog Cameras

CAM5000D.040 HAC-HDW1500TL-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
72,00€	5MP Analog	2,8mm	30m	116°	-	IP67	0,02Lux	PFA130-E PFA152-E

CAM5000O.044 HAC-HFW1500T



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
61,00€	5MP Analog	2,8mm	30m	93°	-	IP67	0,02Lux	PFA130-E PFA152-E

CAM5000O.045 HAC-ME1509THP-PV



Full Color TiOC

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
101,00€	5MP Analog	3.6mm	40m	83°	-	IP67	0,005Lux	PFA13G PFA130-E PFA152-E

CAM5000O.046 ME1509THP-RBLS



Full Color TiOC

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
125,00€	5MP Analog	3.6mm	40m	83°	-	IP67	0,005Lux	PFA13G PFA130-E PFA152-E

5MP Analog Cameras

CAM5000D.020
HAC-HDW1500EM-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
72,00€	5MP Analog	3,6mm	50m	77,5°	-	IP67	0,02Lux	PFA130-E

CAM5000D.033
HAC-EW2501-140B



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
229,00€	5MP Analog	1,4mm	10m	180°	-	-	0,005Lux	PFA152-E PFB203W

CAM5000O.021
HAC-HFW1500TL-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
72,00€	5MP Analog	2,8mm	80m	77,5°	-	IP67	0,02Lux	PFA134 PFA12A

CAM5000O.051
HAC-HFW1500C-S2



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
50,00€	5MP Analog	2.8mm	30m	111°	-	IP67	0,005Lux	PFA134 PFA130-E

CAM5000D.021
HAC-HDW1500T-Z-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
127,00€	5MP Analog	2,7-12mm	60m	98°~34°	-	IP67	0,02Lux	PFA130-E PFB203W

5MP Analog Cameras

CAM5000O.040 HAC-HFW1500D



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
81,00€	5MP Analog	3.6mm	80m	77.5°	-	IP67	0,02Lux	PFA130-E PFA152-3

CAM5000O.021 HAC-HFW1500T-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
69,00€	5MP Analog	2.8mm	30m	93°	-	IP67	0,02Lux	PFA130-E PFA152-3

CAM5000O.022 HAC-HFW1500R-Z-IRE6-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
131,00€	5MP Analog	2,7-12mm	60m	98°~34°	-	IP67	0,02Lux	PFA130-E

CAM5000D.039 HAC-HDW1500M



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
58,00€	5MP Analog	2.8mm	30m	98°	-	IP67	0,02Lux	PFB203W PFA13A PFA152.E

CAM5000O.037 HAC-HFW2501T-I8-A



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
138,00€	5MP Analog	3,6mm	80m	79 °		IP67	0,005Lux	PFA151 PFA130-E PFB152-E

5MP Analog Cameras

CAM5000D.043 HAC-HDW1500TLMQ-A

NEW



Starlight

Price	Resolution Lens	Audio	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
62,00€	5MP 2.8mm	Built-in mic	30m	111°	-	IP67	0,005Lux	PFB205W PFA130-E PFA152-3

CAM5000D.042 HAC-HDW1500TRQ-S2

NEW



Starlight

Price	Resolution Lens	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
48,00€	5MP Starlight	2.8mm	25m	111°	-	IP67	0,005Lux	PFB205W PFA13G PFA152-3

CAM5000O.038 HAC-HFW1509TLM-A-LED

NEW



Full Color

Price	Resolution Lens	Audio	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
81,00€	5MP, 3.6mm Full Color	Built-in mic	40m	83°	-	IP67	0,02Lux	PFB205W PFA130-E PFA152-3

CAM5000O.055 HAC-HFW2501T-Z-A



Starlight

Price	Resolution Lens	Audio	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
189,00€	5MP 2.7-13.5mm	Built-in mic	80m	102°~29°	-	IP67	0,02Lux	PFA151W PFA130-E PFA152-3

Full Color

5MP HD Analog Cameras

CAM5000D.031

HAC-HDW1509T-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
85,00€	5MP Analog	3.6mm	40m	83°	YES	IP67	0,02Lux	PFB204W PFA13A0-E PFA152.E

CAM5000D.032

HAC-HDW1509TL-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
69,00€	5MP Analog	3.6mm	20m	83°	YES	IP67	0,02Lux	PFB204W PFA13A0-E PFA152.E

CAM5000O.038

HAC-HFW1509TLM-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
81,00€	5MP Analog	3.6mm	40m	83°	DWDR	IP67	0,02Lux	PFA134 PFA152.E

CAM5000O.039

HAC-HFW1509T-A-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
74,00€	5MP Analog	3.6mm	20m	83°	DWDR	IP67	0,02Lux	PFA134 PFA152-E

lite 8MP Analog Cameras

CAM8000D.005 HAC-HDW2802T-A



4K



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
143,00€	8MP Analog	3,6mm	50m	87 °		IP67	0,005Lux	PFA130-E PFB204W

CAM8000O.007 HAC-HFW2802T-A-18



4K



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
172,00€	8MP Analog	3,6mm	80m	87°		IP67	0,005Lux	PFA130-E

CAM8000O.013 HAC-HFW2802E-A



4K



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
143,00€	8MP Analog	2,8mm	40m	110.8°		IP67	0,005Lux	PFA121 PFB152-E

CAM8000D.010 HAC-HDW1800M



4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
76,00€	8MP Analog	2,8mm	30m	105°		IP67	0,03Lux	PFA13A PFB104W PFB152-E

CAM8000D.011 HAC-HDW1800TL-A



4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
71,00€	8MP Analog	2,8mm	30m	105°		IP67	0,03Lux	PFA130-E PFB152-E

Lite 8MP Analog Cameras

CAM8000O.012

HAC-HFW1801D



4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
108,00€	8MP Analog	3,6mm	80m	104°	DWDR	IP67	0,03Lux	PFA130-E PFB152-E

CAM8000O.011

HAC-HFW1801T-A



PROMO

4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
96,00€	8MP Analog	2,8mm	30m	124°	DWDR	IP67	0,03Lux	PFA130-E PFB152-E

CAM8000D.007

HAC-HDW1801EM-A



4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
106,00€	8MP Analog	2,8mm	50m	104°	DWDR	IP67	0,03Lux	PFB204W PFA130-E PFB152-E

CAM8000D.008

HAC-HDW1801TL-A



4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
87,00€	8MP Analog	2,8mm	50m	125°	DWDR	IP67	0,03Lux	PFA130-E PFB152-E

CAM8000O.015

HAC-HFW1800T-A



4K



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
84,00€	8MP Analog	2,8mm	30m	105°	DWDR	IP67	0,03Lux	PFA13A PFB152-E

BASE.125 DH-PFA134 	Price 10,00€ 	BASE.126 DH-PFA152-E 	Price 17,00€ 	BASE.127 DH-PFB204-W 	Price 17,00€ 	BASE.128 DH-PFB203W 	Price 17,00€ 
BASE.129 DH-PFA136 	Price 13,00€ 	BASE.130 DH-PFB302S-V2 	Price 30,00€ 	BASE.137 PFA130-E 	Price 17,00€ 	BASE.139 PFA121-V2 	Price 25,00€ 
BASE.118 DH-PFA12A 	Price 4,00€ 	BASE.119 DH-PFA139 	Price 10,00€ 	BASE.116 DH-PFA137 	Price 12,00€ 	BASE.117 DH-PFA13A-E 	Price 10,00€ 
BASE.122 DH-PFB300C 	Price 25,00€ 	BASE.123 DH-PFA103 	Price 8,00€ 	BASE.120 DH-PFA151 	Price 33,00€ 	BASE.121 DH-PFB305W 	Price 19,00€ 
BNCP.014 DH-PFM800-4K 1-CH Passive Video Balun 	Price 8,00€ 	BNCP.015 DH-PFM801 1 Channel Passive Balun with Power 	Price 19,00€ 				
	ESD	Resolution	Compatible Format				
		1080P/4MP/5MP/4K	HDCVI/TVI/AHD/CVBS			1080P/4MP/4MP	HDCVI/TVI/AHD/CVBS

BASE.172
PFA122-V2



Price
25,00€



BASE.173
PFA150-V2



Price
33,00€



BNCP.017
PFM790
Power Isolator



Price
13,00€



BNCP.018
PFM791
Video Isolator



Price
13,00€



PSC.089
PFM321D-EN 12V 1A



Price
7,00€



PSC.087
PFM320D-EN 12V 2A



Price
13,00€



PSC.088
PFM320D-015
-12V1.5A



Price
12,00€



PSC.090
ADS-65LSI-
191
(24V2.5A)



Price
34,00€



MIC.006
HAP100
Pinhole Pickup



Price
25,00€



MIC.007
HAP200
Hi-fidelity Pickup



Price
55,00€



PSC.098
PFM320-EN-S



Price
10,00€



BASE.233
PFB733W-SL



Price
call for price



BASE.231
DH-ZAZ100W



Price
call for price



BASE.232
PFB720WA



Price
call for price



BASE.223
PFB121W



Price
10,00€



BASE.225
PFB300C



Price
25,00€



RMT.022
NKB1000
Integrated
Mount Tester



399,00€	Screen	Ports	Joystick
----------------	---------------	--------------	-----------------



LCD,
75.2mm×
33.85mm

RS485,
RS422, USB,
RS232 &
Network

3-AXIS

BOX.015
PFH610V-H-POE



Price
209€



PSC.101
PFM300
12V2A



Price
10,00€



HD analog XVRs-AI XVRs





Less False, Better Guard

Dahua Technology launches IP Solution with **SMD Plus**

- False Alarm Filter
- Quick Target Search
- Easy Configuration
- Affordable Solution




**XVR04.008
XVR5104HS-I2**

AI
Wiz Sense


Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
118,00€	1080p record 5MN/4MN	4Ch+2Ch	SMD plus 2 x perimeter protection	1Ch	-	1080p (25~30fps)	1 SATA interface	1 x HDMI 1 X VGA

**XVR04.006
XVR5104HS-4KL-I2**

4K
AI
Wiz Sense


Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
180,00€	4K, 6MP,5MP 4MP,2MP 1MP, D1	4Ch+2Ch	SMD plus 2 x perimeter protection	1Ch	-	4K (1~7fps)	1 SATA interface	1 x HDMI 1 X VGA

**XVR08.010
XVR5108HS-I2**

AI
Wiz Sense


Price	Resolution	Analog Video Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
179,00€	1080p record 5MN/4MN	8Ch+4Ch	SMD plus 2 x perimeter protection	1Ch	-	1080p (25~30fps)	1 SATA interface	1 x HDMI 1 X VGA

**XVR08.007
XVR5108HS-4KL-I2**

4K
AI
Wiz Sense


Price	Resolution	Analog Video Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
292,00€	4K,5mp,4mp, 1080p	8Ch+8Ch	SMD plus 2 x perimeter protection	1Ch	-	4k (1~7fps)	1 SATA interface	1 x HDMI 1 X VGA


XVR08.008
XVR5108HE-4KL-I2


Price	Resolution	Analog Video Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
339,00€	4K,5mp,4mp, 1080p	8Ch+8Ch	SMD plus 2 x perimeter protection	1Ch	8in/3out	4k (1~7fps)	1 SATA interface	1 x HDMI 1 X VGA

XVR08.011
XVR5108HE-I2


Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
248,00€	5M/N,4M/N1 1080p	4Ch+2Ch	SMD plus 2 x perimeter protection	1Ch	8in/3out	1080p (25~30fps)	1 SATA interface	1 x HDMI 1 X VGA

XVR16.009
XVR5116HE-4KL-I2


Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
586,00€	4K,5mp,4mp, 1080p	16Ch +16Ch	SMD plus 2 x perimeter protection	1Ch	16in/3out	4k (1~7fps)	1 SATA interface	1 x HDMI 1 X VGA

XVR16.011
XVR5116HS-I2


Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
281,00€	5MN,4MN 1080p	16Ch +8Ch	SMD plus 2 x perimeter protection	1Ch	-	1080p (20~30fps)	1 SATA interface	1 x HDMI 1 X VGA

XVR16.010 XVR5216A-4KL-I2



Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
642,00€	4K,5mp,4mp, 1080p	16Ch +6Ch	SMD plus 2 x Perimeter 2 x Face Rec.	1Ch	-	4k (1~7fps)	2 SATA interface	1 x HDMI 1 X VGA

XVR04.007 XVR7104HE-4K-I2



Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
315,00€	4K,5mp,4mp, 1080p	4Ch+4Ch	SMD plus 2 x Perimeter 2 x Face Det.	4in/1out	8in/3out	4K (1~15fps)	1 SATA interface	1 x HDMI 1 X VGA

XVR08.009 XVR7208A-4K-I2



Price	Resolution	Analog & IP Input	AI	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
518,00€	4K,5mp,4mp, 1080p	8Ch+8Ch	SMD plus 2 x Perimeter 2 x Face Det.	4in/1out	8in/3out	4K (1~15fps)	2 SATA interface	1 x HDMI 1 X VGA

Wiz Sense

Focus on Human and Vehicle

• Intelligent • Simple • Inclusive



XVR32.003 XVR5232AN-4KL-I2



4K

AI

Wi Sense



Price	Resolution	Analog Video Input	IP Video Input	AI	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
1.038€	8MP	32Ch	max 32Ch	32x SMD plus 6x Perimeter 6x Face De	-	4K(1~7fps) 5MP @12fps 2mp @30fps	2 SATA interface	1 x HDMI 1 X VGA

XVR7108HE-4KL-X XVR7116HE-4KL-X



4K

PROMO



Price	Resolution	Analog Video Input	IP Video Input	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
349,00€ 611,00€	Lite 8MP	8CH 16Ch	8CH 16Ch	8in 16Ch	8in/3out 16in/3ou	4K(1~7fps) 5MP (1~12fps)	1 SATA interface	1 x HDMI 1 X VGA

XVR16.004 XVR7216A-4KL-X



4K

PROMO



Price	Resolution	Analog Video Input	IP Video Input	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
658,00€	Lite 8MP	16Ch	16Ch	4Ch	16in/3ou	4K(1~7fps) 5MP (1~12fps)	2 SATA interface	1 x HDMI 1 X VGA

XVR32.002 XVR5232AN-I2



AI

Wi Sense



Price	Resolution	Analog Video Input	IP Video Input	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
608,00€	2MP 5M-N SMD PLUS	32Ch	32Ch	1Ch	-	5M-N (1~10fps)	2 SATA interface	1 x HDMI 1 X VGA

XVR32.001 XVR5432L-X



PROMO



Price	Resolution	Analog Video Input	IP Video Input	Audio Input	Alarm Output	Record Resolution	Hard disk	HDMI VGA Output
893,00€	2MP 5M-N	32Ch	32Ch	4Ch	16in/6ou	5M- 1~10fps	4 SATA interface	1 x HDMI 1 X VGA



Price	Capacity	Cash price	Credit price	
HDD.005 ST1000VX005	1TB	90,00€	100,00€	
HDD.006 ST2000VX008	2TB	117,00€	120,00€	
HDD.007 ST4000VX007	4TB	185,00€	185,00€	
HDD.009 ST6000VX0023	6TB	300,00€	300,00€	

HDD.012
DS-USSD120G-T100I
Portable SSD T100I
Series



124,00€	Capacity	Weight	Power Supply
120GB	36.5g	USB	

HDD.013
DS-UAFS120G-
W100I/120G/Black
Mobile NAS



124,00€	Capacity	WiFi	Power Supply
120GB		USB	



Price	Capacity	Cash price	Credit price	
HDD.001 WD10PURX	1TB	89,00€	89,00€	
HDD.002 WD20PURX	2TB	116,00€	116,00€	
HDD.004 WD40PURX	4TB	185,00€	185,00€	
HDD.010 WD60PURX	6TB	312,00€	312,00€	

SDC.003

KingStone 32GB

32,00€

SDC.005

KingStone 64GB

56,00€

SDC.006

KingStone 128GB

92,00€



SDC.009

Dahua PFM110 16GB

18,00€

SDC.010

Dahua PFM111 32GB

36,00€

SDC.012

Dahua PFM113 128GB

100,00€



SDC.008

CS-CMT-CARDT 32 GB

17,40€

SDC.007

CS-CMT-CARDT 16 GB

34,00€



SDC.016

HS-TF-L2/32GB

14,00€

SDC.017

HS-TF-L2I/64G

34,00€

SDC.018

HS-TF-L2I/128G

74,00€



SDC.013

WDD032G1P0A 32GB

28,00€

SDC.014

WDD064G1P0A 64GB

54,00€

SDC.015

WDD128G1P0A 128GB

86,00€



IP & AI cameras



CAMIP2MP.165 IPC-HFW1235S-W-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
98,00€	2MP IP	2,8mm	30m	106°	-	IP67	0,1Lux	PFA134

CAMIP2MP.184 HDBW1235E-W-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
98,00€	2MP IP	2,8mm	30m	106°	-	IP67 IK10	0,1Lux	PFA152.E PFA136 PFB203W

CAMIP2MP.107 IPC-HDW1230S-S5



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
76,00€	2MP IP	2,8mm	30m	104°	-	IP67	0,08Lux	PFA130-E PFB203W

CAMIP2MP.105 IPC-HFW1230S-S5



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
76,00€	2MP IP	2,8mm	30m	104°	-	IP67	0,08Lux	PFA134



CAMIP2MP.194 IPC-HFW2239S-SA-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP IP	2,8mm	30m	107°	-	IP67	0,0017Lux	PFA152-E PFA134

CAMIP2MP.195 IPC-HDW2239T-AS-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP IP	2,8mm	30m	107°	-	IP67	0,0015Lux	PFA152-E PFA130-E PFB203W

CAMIP2MP.189 HDW3249TM-AS-LED



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
167,00€	2MP IP	2,8mm	30m	107°	-	IP67	0,0015Lux	PFA152-E PFA130-E PFB203W

CAMIP2MP.114 SD29204T-GN-W



Price	Resolution	Lens	Distance IR	Field of View	WiFi WDR	Protection Level	Min. Illumination	Bracket
359,00€	2MP IP	2,7 - 11mm	30m	112.5° ~ 30°			0,05Lux	PFB302S PFA103

CAMIP2MP.115 SD29204T-GN



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
338,00€	2MP IP	2,7 - 11mm	30m	112.5° ~ 30°			0,05Lux	PFB302S PFA103

CAMIP2MP.110 IPC-HDW2231R-ZS



PROMO

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
231,00€	2MP IP	2,7-13,5mm	50m	106°~29°		IP67	0,006Lux	PFA130-E PFB203W

CAMIP2MP.118 IPC-HFW2231T-ZS



PROMO

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
245,00€	2MP IP	2,7-13,5mm	50m	°106°~29°		IP67	0,006Lux	PFA130-E PFB203W



Μάρτιος 2021

** οι τιμές δεν περιλαμβάνουν
ΦΠΑ 24%

ΠΟΜΠΟΔΑΚΗΣ ΜΕΛΕΤΑΚΗΣ ΟΕ "Wi-Fi NET"

* οι τιμές είναι οι προτεινόμενες τιμές λιανικής από την εταιρεία.
από εμάς αγοράζετε με ΕΚΠΤΩΣΗ 30%

New Starlight series

CAMIP2MP.147 IPC-HFW2231S-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP	2,8mm	30m	106°	Yes	IP67	Starlight	PFA134 PFA152-E

CAMIP2MP.148 IPC-HFW2231S-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP	3.6mm	30m	87°	Yes	IP67	Starlight	PFA130-E PFB203W

CAMIP2MP.145 IPC-HDW2231T-AS-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP	2,8mm	30m	106°	Yes	IP67	Starlight	PFA130-E PFB203W

CAMIP2MP.151 IPC-HDW2231T-AS-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP	3,6mm	30m	87°	Yes	IP67	Starlight	PFA130-E PFB203W

CAMIP2MP.156 IPC-HDBW2231E-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
121,00€	2MP	2,8mm	30m	106°	Yes	IP67 IK10	Starlight	PFB203W PFA136 PFA152-E

New Starlight series

CAMIP2MP.157 IPC-HDBW2231R-ZS



PROMO

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
245,00€	2MP	2.7mm-13.5mm	40m	109°-28°	Yes	IP67 IK10	Starlight	PFB203W PFA137 PFB203W

CAMIP2MP.158 IPC-HFW5241E-ZE



AI

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
375,00€	2MP	2.7 mm-13.5 mm	50m	109°-30°	Yes	IP67 IK10	Starlight	PFA152-E

CAMIP2MP.169 IPC-HDBW5241E-ZE



AI

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
375,00€	2MP	2.7 mm-13.5 mm	40m	109°-30°	Yes	IP67 IK10	Starlight	PFB210W PFA152-E PFA138

CAMIP2MP.159 IPC-HFW5241T-ASE



AI

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
225,00€	2MP	2,8mm	80m	106°	Yes	IP67	Starlight	PFA152-E

CAMIP2MP.160 IPC-HDBW5241R-ASE



AI

Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
184,00€	2MP	2,8mm	50m	106°	Yes	IP67 IK10	Starlight	PFA123 PFA137 PFB203W

New AI series

CAMIP2MP.152
IPC-HDW3241TM-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
167,00€	2MP	2,8mm	50m	106°	Yes	IP67	Starlight	PFA152 PFA134 PFB203W

CAMIP2MP.153
IPC-HDW3241T-ZAS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
292,00€	2MP	2.7 mm–13.5 mm	40m	108°–28°	Yes	IP67	Starlight	PFA152-E PFA130-E PFB203W

CAMIP2MP.154
IPC-HDBW3241E-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
154,00€	2MP	2,8mm	50m	106°	Yes	IP67 IK10	Starlight	PFA152-E

CAMIP2MP.155
IPC-HDBW3241R-ZAS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
309,00€	2MP	2.7 mm–13.5 mm	40m	108°–28°	Yes	IP67 IK10	Starlight	PFA152-E PFA137 PFB203W

CAMIP2MP.150
IPC-HFW3241T-ZAS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
309,00€	2MP	2.7 mm–13.5 mm	50m	108°–28°	Yes	IP67	0,002 Lux	PFA152-E PFA130-E

CAMIP2MP.149 IPC-HFW3241E-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
167,00€	2MP	2,8mm	50m	106°	Yes	IP67 IK10	0,002 Lux	PFA152-E PFA130-E

CAMIP2MP.110 IPC-HDW2231R-ZS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
231,00€	2MP IP	2,7-13,5mm	50m	106°~29°		IP67	0,006Lux	PFA130-E PFB203W

CAMIP2MP.118 IPC-HFW2231T-ZS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
245,00€	2MP IP	2,7-13,5mm	50m	°106°~29°		IP67	0,006Lux	PFA130-E PFB203W

CAMIP2MP.160 IPC-HDBW5241R-ASE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
184,00€	2MP	3,6mm	50m	87°	Yes	IP67 IK10	Starlight	PFA123 PFA137 PFB203W

CAMIP2MP.196 IPC-HDW5241TM-ASE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
211,00€	2MP	2,8mm	50m	106°	Yes	IP67	Starlight	PFA130-E PFA151 PFB204W

CAMIP2MP.114 SD29204T-GN-W



Price	Resolution	Lens	Distance IR	Field of View	WiFi WDR	Protection Level	Min. Illumination	Bracket
359,00€	2MP IP	2,7 - 11mm	30m	112.5° ~ 30°			0,05Lux	PFB302S PFA103

CAMIP2MP.115 SD29204T-GN



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
338,00€	2MP IP	2,7 - 11mm	30m	112.5° ~ 30°			0,05Lux	PFB302S PFA103

CAMSPD.106 SD29204UE-GN-W



Price	Resolution	Lens	Distance IR	Field of View	WiFi WDR	Protection Level	Min. Illumination	Bracket
355,00€	2MP IP	2,7-11mm	30m	112.5° ~ 30°		IP	0,005Lux	PFB302S PFA103

CAMSPD.144 SD5A225XA-HNR



Wiz Sense

Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
831,00€	2MP IP - X25	5.4-135mm	150m	58.7° ~ 3.1°		IP67 IK10	0,005Lux	PFA150 PFA140 PFA151

CAMSPD.104 PTZ19245U-IRB-N



Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project Price	2MP IP - X45	3.95mm ~ 177.7mm	350m	70.3° ~ 1.8°		IP68	0,005Lux	DH-PFB731W

CAMSPD.123 SD50225U-HNI



Starlight



Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
710,00€	2MP IP - X25	4.8mm ~ 120mm	150m	62.8° ~ 2.6°	Yes	IP66 IK10	0,005Lux	PFA150 PFA140 PFA151

CAMSPD.135 SD5A232XA-HNR

NEW



PoE+

AI
Starlight



Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.247,00€	1080p @60 fps X32 zoom	4.9mm ~ 156mm	150m	62°~ 2.2°	Yes	IP67 IK10	0,005Lux	PFA111 PFA140 PFB300C

CAMSPD.119 SD49225XA-HNR

NEW



AI
Starlight



Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
668,00€	2MP IP - X25	4.8mm ~ 120mm	100m	62.8° ~ 2.6°	Yes	IP66	0,005Lux	PFA150 PFA140 PFA151

CAMIP2MP.162 ITC215-PW4I-IRLZF



ANPR
Parking Solution



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.136€	2MP	2.7mm ~13.5mm	3-8m	119°~ 32°	Yes	IP67 IK10	Starlight	-

CAMIP2MP.122 SD22204UE-GN



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
272€	2MP	4x zoom	-	112.5°~ 30°	Yes	IP67 IK10	Starlight	PFA152-E PFA137 PFB203W

4MP IP Cameras

CAMIP4MP.108 IPC-HFW1435S-W-S2



Price	Resolution	Lens	Distance IR	Field of View	Wi-Fi	Protection Level	Min. Illumination	Bracket
115,00€	4MP IP	2,8mm	30m	106°	YES	IP67	0,1Lux	PFA134

CAMIP4MP.129 IPC-HDW1431S-S4



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
97,00€	4MP IP	2,8mm	30m	93°	-	IP67	0,03Lux	PFA130-E PFB203W

CAMIP4MP.141 IPC-HDW1431T-ZS-S4



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Micro SD slot	Bracket
201,00€	4MP IP	2,8mm - 12mm	50m	98°-31°	-	IP67	Yes up to 256GB	PFA130-E PFA152-E PFB203W

CAMIP4MP.119 IPC-HFW1431T-ZS-S4



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Micro SD slot	Bracket
201,00€	4MP IP	2,8mm - 12mm	50m	98°-31°	-	IP67	Yes up to 256GB	PFA130-E PFA152-E

CAMIP4MP.135 IPC-HFW1431S-S4



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
103,00€	4MP IP	2,8mm	30m	104°	-	IP67	0,08Lux	PFA134 PFA152-E

New Starlight Series

CAMIP4MP.083 IPC-HFW2431S-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
179,00€	4MP	2,8mm	30m	102°	Yes	IP67	0,008Lux	PFA134 PFA152-E

CAMIP4MP.084 IPC-HFW2431S-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
179,00€	4MP	3,6mm	30m	84°	Yes	IP67	0,008Lux	PFA134 PFA152-E

CAMIP4MP.085 IPC-HFW2431T-ZS-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
270,00€	4MP IP	2.7 mm– 13.5 mm	60m	104°–27°	Yes	IP67	0,008Lux	PFA130-E PFB152-E

CAMIP4MP.089 IPC-HDW2431T-AS-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
179,00€	4MP	2,8mm	30m	102°	Yes	IP67	0,008Lux	PFB203W PFA130-E PFA152-E

CAMIP4MP.090 IPC-HDW2431T-AS-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
179,00€	4MP	3,6mm	30m	84°	Yes	IP67	0,008Lux	PFB203W PFA130-E PFA152-E

New AI Starlight Series

CAMIP4MP.086 IPC-HFW3441E-A



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
205,00€	4MP	2,8mm	50m	103°	Yes	IP67	0,005Lux	PFA130-E PFA152-E

CAMIP4MP.088 IPC-HFW3441T-ZAS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
343,00€	4MP	2.7 mm–13.5 mm	60m	104°–27°	Yes	IP67	0,005Lux	PFA130-E PFA152-E

CAMIP4MP.094 IPC-HDW3441TM-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
205,00€	4MP	2,8mm	50m	103°	Yes	IP67	0,005Lux	PFB203W PFA130-E PFA152-E

CAMIP4MP.094 IPC-HDW3441T-ZAS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
329,00€	4MP	2.7 mm–13.5 mm	40m	104°–27°	Yes	IP67	0,005Lux	PFB203W PFA130-E PFA152-E

CAMIP4MP.092 IPC-HDBW3441E-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
206,00€	4MP	2,8mm	50m	103°	Yes	IP67 IK10	0,005Lux	PFB203W PFA136

New Starlight Series

CAMIP4MP.106
IPC-HDW2431T-ZS-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
263,00€	4MP	2.7 mm–13.5 mm	40m	104°–27°	Yes	IP67	0,005Lux	PFB203W PFA130-E PFA152-E

CAMIP4MP.107
IPC-HDBW2431E-S2



Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
183,00€	4MP	2,8mm	30m	102°	Yes	IP67 IK10	0,008Lux	PFB203W PFA136 PFA152-E

CAMIP4MP.108
IPC-HFW1435S-W

NEW



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
115,00€	4MP	2,8mm	30m	106°	-	IP67	0,1Lux	PFA134 PFA150

CAMIP4MP.145
IPC-HFW2439S-SA-LED

NEW



Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
179,00€	4MP	2,8mm	30m	96°	Yes	IP67	0,004Lux	PFA134 PFA152-E

CAMIP4MP.116
IPC-HDBW3441F-AS-M



AI
Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
185,00€	4MP	2,8mm	50m	102°	Yes	IP67 IK10	0,005Lux	PFB204W PFA139 PFA152-E

new Starlight & Full Color Series

CAMIP5MP.070
IPC-HFW3549T1-AS-PV



TiOC
Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
266,00€	5MP TiOC	2,8mm	40m	98°	Yes	IP67	0,003Lux	PFA130-E PFA152-E

CAMIP5MP.071
IPC-HDW3549H-AS-PV



TiOC
Full Color

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
236,00€	5MP TiOC	2,8mm	30m	103°	Yes	IP67 IK10	0,003Lux	PFB202W PFA137 PFA152-E

CAMIP5MP.072
IPC-HFW2531S-S2



Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
195,00€	5MP	2,8mm	30m	103°	Yes	IP67 IK10	0,008Lux	PFA134 PFA152-E

CAMIP5MP.073
IPC-HDW3549TM-AS-LED



Full Color

AI

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
231,00€	5MP	2.8mm	30m	98°	Yes	IP67	0,003Lux	PFA152.E PFA130-E PFB203W

CAMIP5MP.069
IPC-EW5541-AS



AI

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
466,00€	5MP Fisheye	1.4mm	30m	180°	Yes	-	0,006Lux	PFA152.E PFB110W PFB203W

New PRO AI Starlight Series

CAMIP4MP.077
IPC-HFW5442E-ZE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
459,00€	4MP	2.7 mm–12 mm	50m	114°–47°	Yes	IP67 IK10	0,003Lux	PFA152-E

CAMIP4MP.095
IPC-HFW5442T-ASE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
339,00€	4MP	2,8mm	50m	113°	Yes	IP67 IK10	0,002Lux	PFA130-E PFA152-E

CAMIP4MP.096
IPC-HFW5442T-ASE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
339,00€	4MP	3,6mm	50m	89°	Yes	IP67 IK10	0,002Lux	PFA130-E PFA152-E

CAMIP4MP.100
IPC-HDBW5442E-ZE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
459,00€	4MP	2.7 mm–12 mm	40m	104°–47°	Yes	IP67 IK10	0,003Lux	PFB210W PFA138 PFA152-E

CAMIP4MP.101
IPC-HDBW5442R-ASE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
301,00€	4MP	2,8mm	50m	113°	Yes	IP67 IK10	0,002Lux	PFB203W PFA137 PFA152-E

New PRO AI Starlight Series

CAMIP4MP.056
IPC-HDBW5541E-ZE



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
413,00€	4MP	2.7 mm–13.5 mm	40m	100°–28°	Yes	IP67 IK10	0,005Lux	PFB210W PFA152-E PFA138

CAMIP4MP.057
IPC-HDBW5541E-Z5E



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
441,00€	4MP	7 mm–35 mm	80m	31°–9°	Yes	IP67 IK10	0,003Lux	PFB210W PFA138 PFA152-E

CAMIP4MP.058
IPC-HDBW5541R-ASE



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
229,00€	4MP	3,6mm	50m	89°	Yes	IP67 IK10	0,002Lux	PFA130-E PFA152-E

CAMIP4MP.100
IPC-HDBW5541R-ASE



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
219,00€	4MP	2,8mm	50m	102°	Yes	IP67 IK10	0,005Lux	PFB203W PFA137 PFA152-E

CAMIP4MP.101
IPC-HDBW5442R-ASE



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
287,00€	4MP	2,8mm	50m	113°	Yes	IP67 IK10	0,002Lux	PFB203W PFA137 PFA152-E

4MP PTZ IP Cameras

CAMSPD.141 SD49425XB-HNR

NEW



Starlight

Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
718,00€	4MP IP - X25	4,8-120mm	100m Starlight	60° ~ 2.5°		IP66	0,05Lux	PFB300C PFA150 PFA151

CAMSPD.160 SD5A425XA-HNR

NEW



Wiz Sense

Starlight

Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.548,00€	4MP IP - X25	5,4-135mm	150m Starlight	61.6° ~ 3.6°		IP67	0,001Lux	PFA111 PFB300C PFA151/150

CAMSPD.136 SD5A432XA-HNR

NEW



Wiz Sense

Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.413,00€	4MP IP - X32	4,9-156mm	150m	61,6° ~ 2.1°	YES	IP66 IK10	0,05Lux	PFA140 PFB300C PFA111

CAMSPD.137 SD8A440WA-HNF

NEW



Wiz Sense

Price	Resolution - Optical Zoom	Lens	Distance IR	Field of View	WDR Wiper	Protection Level	Min. Illumination	Bracket
4.170,00€	4MP IP - X40	5,6-223mm	500m	63.9° ~ 2°	YES YES	IP66	0,001Lux	PFA150 PFA118 PFB710C

New Ultra AI Starlight Series

CAMIP4MP.109
IPC-HFW5449T-ASE

Full Color



PRO AI

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
395,00€	4MP	3,6mm	-	93°	Yes	IP67	10,005Lux	PFA150 PFA152-E PFA130-E

CAMIP4MP.110
IPC-HDBW5449R-ASE

Full Color



PRO AI

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
395,00€	4MP	3,6mm	-	93°	Yes	IP67 IK10	0,001Lux	PFB150 PFA137 PFA152-E

CAMIP4MP.097
IPC-HFW7442H-Z



Ultra AI



Face Detection

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.649€	4MP	2.7-12 mm	-	114°-47°	Yes	IP67 IK10	0,001Lux	PFA154

CAMIP4MP.098
IPC-HFW7442H-Z4



Ultra AI



Face Detection

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.790€	4MP	8 mm-32 mm	-	40°-23°	Yes	IP67 IK10	0,001Lux	PFA154

CAMIP4MP.112
IPC-HFW7442H-ZFR



Ultra AI



Face Recognition

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.890€	4MP	2.7-12 mm	-	114°-47°	Yes	IP67 IK10	0,001Lux	PFA154

New Ultra AI Starlight Series

CAMIP4MP.102
IPC-HDBW7442H-Z



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.680€	4MP	2.7-12 mm	-	111°-47°	Yes	IP67 IK10	0,001Lux	PFB210W PFA773 PFA152-E

CAMIP4MP.103
IPC-HDBW7442H-Z4FR



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
2.180€	4MP	8 mm-32 mm	-	40°-23°	Yes	IP67 IK10	0,001Lux	PFB210W PFA773 PFA152-E

CAMIP4MP.098
IPC-HF7442F-FR



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.270€	4MP	options	PLZ20C0-D 3.7-16 mm	145°-79°	-	-	0,001Lux	PFB121W

CAMSPD.124
SD8A440VI-HNI



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
3.990€	4MP	5.6mm~223mm	450m	63.9° ~ 2.0°	Yes	IP67	0,002Lux	PFB306W

CAMIP5MP.035 IPC-HDW1531S



PROMO

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
186,00€	5MP IP	2,8mm	30m	95°		IP67	0,03Lux	PFA130-E PFB203W

CAMIP5MP.033 IPC-HFW1531S



PROMO

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
186,00€	5MP IP	2,8mm	30m	96°		IP67	0,03Lux	PFA134

CAMIP5MP.036 IPC-HFW1531S



PROMO

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
186,00€	5MP IP	3,6mm	30m	78°		IP67	0,03Lux	PFA134

CAMIP5MP.037 IPC-HDW1531S



PROMO

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
186,00€	5MP IP	3,6mm	30m	78°		IP67	0,03Lux	PFA130-E PFB203W

CAMIP5MP.039
IPC-HDBW1531E-S



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
205,00€	5MP IP	2,8mm	30m	96°		IP67	0,03Lux	PFA136 PFB203W

CAMIP5MP.038
IPC-HDBW1531E-S



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
205,00€	5MP IP	3,6mm	30m	78 °		IP67	0,03Lux	PFA136 PFB203W

CAMIP5MP.045
IPC-HDW2531T-ZS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
304,00€	5MP IP	2,8mm	40m	100°-26°		IP67	0,008Lux	PFA130-E PFB203W

CAMIP5MP.034
IPC-HFW2531T-ZS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
312,00€	5MP IP	2,7-13,5mm	60m	100°-26°		IP67	0,008Lux	PFA130-E

New Starlight Series

CAMIP5MP.046
IPC-HFW3541E-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
235,00€	5MP	2,8mm	50m	98°	Yes	IP67	0,003Lux	PFA152-E PFA130-E

CAMIP5MP.047
IPC-HFW3541T-ZAS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
363,00€	5MP	2.7 mm– 13.5 mm	60m	99°–26°	Yes	IP67	0,005Lux	PFA130-E PFA152-E

CAMIP5MP.048
IPC-HDW2531T-AS-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
195,00€	5MP	2,8mm	30m	103°	Yes	IP67	0,008Lux	PFB203W PFA130-E PFA152-E

CAMIP5MP.049
IPC-HDW2531T-AS-S2



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
195,00€	5MP	3,6mm	30m	84°	Yes	IP67	0,008Lux	PFB203W PFA130-E PFA152-E

CAMIP5MP.051
IPC-HDW3541TM-AS



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
231,00€	5MP	2,8mm	50m	98°	Yes	IP67	0,005Lux	PFB203W PFA130-E PFA152-E

New AI Starlight Series

CAMIP5MP.052
IPC-HDW3541T-ZAS



Lite AI
Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
360,00€	5MP	2.7 mm–13.5 mm	40m	99°–26°	Yes	IP67	0,005Lux	PFA152-E PFA130-E

CAMIP5MP.053
IPC-HDBW3541E-AS



Lite AI
Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
215,00€	5MP	2,8mm	50m	98°	Yes	IP67 IK10	0,005Lux	PFA152-E

CAMIP5MP.066
IPC-HFW5541E-SE



PRO AI
Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
229,00€	5MP	2.8 mm	50m	102°	Yes	IP67	0,005Lux	PFA151 PFA121 PFA152-E

CAMIP5MP.055
IPC-HFW5541E-ZE



PRO AI
Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
395,00€	5MP	2.7 mm–13.5 mm	50m	100°–28°	Yes	IP67 IK10	0,005Lux	PFA152-E

CAMIP5MP.059
IPC-HFW5541T-ASE



PRO AI
Starlight



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
242,00€	5MP	3.6mm	80m	84°	Yes	ePoE IP67 IK10	0,005Lux	PFA130-E PFA152-E PFA151

CAMIP5MP.062 IPC-HFW3549E-AS-LED



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
235,00€	5MP	3.6mm	30m	77°	Yes	IP67	0,003Lux	PFA130-E PFA152-E

CAMIP5MP.063 IPC-HDW3549TM-AS-LED



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
231,00€	5MP	3.6mm	30m	77°	Yes	IP67	0,003Lux	PFA152.E PFA130-E PFB203W

CAMIP5MP.064 IPC-HDW5541TM-ASE



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
229,00€	5MP	2.8mm	50m	102°	Yes	ePoE IP67	0,005Lux	PFA130-E PFA152-E PFB204W

CAMIP5MP.060 IPC-HFW5541E-Z5E



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
589,00€	5MP	7mm - 35mm	120m	31°-9°	Yes	ePoE IP67 IK10	0,003Lux	PFA152-E

CAMIP5MP.057 IPC-HDBW5541E-Z5E



Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
589,00€	5MP	7mm - 35mm	80m	31°-9°	Yes	ePoE IP67 IK10	0,003Lux	PFB210W PFA138 PFB201C

New Starlight AI Series

CAMIP5MP.038 IPC-HFW5842H-ZHE



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Ρωτήστε για τιμή	5MP	2.7 mm–13.5 mm	60m	114°~47°	Yes	IP67 IK10	0,005Lux	PFA154

CAMIP5MP.037 IPC-HDBW5842H-ZHE



PRO AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Ρωτήστε για τιμή	5MP	2.7mm–12mm	40m	114°~47°	Yes	IP67 IK10	0,003Lux	PFB210W PFA152-E PFA773

CAMIP5MP.039 IPC-HDBW7842H-Z



ULTRA AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.745€	8MP	2.7 mm–12mm	50m	111°–47°	Yes	IP67 IK10	0,005Lux	PFB210W PFA773 PFA152-E

CAMIP5MP.040 IPC-HFW7842H-Z



ULTRA AI
Starlight

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.820€	8MP	2.7 mm–12mm	60m	111°–47°	Yes	IP67 IK10	0,005Lux	PFA154

CAMIP5MP.036 IPC-HDBW5831E-ZE



ePoE **PRO**

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
503,00€	5MP	2.7mm~12mm	50m	110°~40°	Yes	IP67 IK10	0,05Lux	PFB302W PFA152-E PFA138

CAMIP8MP.051 IPC-HDW3841EM-A



Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
282,00€	8MP	2.8mm	30m	108°	Yes	IP67	0,007Lux	PFB21W PFA152-E PFA130-E

CAMIP8MP.052 IPC-HFW3841E-AS



Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
271,00€	8MP	2.8mm	30m	108°	Yes	IP67	0,007Lux	PFB130-E PFA152-E

CAMIP2MP.201 PFW8840-A180



Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.980€	4 x 2MP	2.8mm	30m	Fisheye 180°	Yes	IP67 IK10	0,002Lux	PFA150-5G PFA120-5G

CAMIP12MP.005 IPC-EBW81242



Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.800€	12MP	2.0mm	10m	Fisheye 185°	Yes	IP67 IK10	0,001Lux	PFA100 PFB300C PFB302S

CAMIP2MP.197 IPC-HF8232F-E



Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
720€	2MP Box type	cs mount lens (not included)	-	-	Yes	IP67 IK10	0,001Lux	PFA110W PFB121W PFH610

CAMSPD.158 SD10A848WA-HNF



Wiz Sense
Starlight

Price	Resolutio - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project price	8MP IP - X48	5.7- 275mm	450m Starlight	64.9° ~ 1.8°		IP67 Smart Wiper	0,001Lux	PFA710W

CAMSPD.156 SD8A820WA-HNF



Wiz Sense
Polar Light

Price	Resolutio - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project price	8MP IP - X20	16- 320mm	500m Starlight Polar Light	58.1° ~ 3.2°		IP67 Smart Wiper	0,001Lux	PFA118 PFA150 PFB301S-E

CAMSPD.161 SD8A840WA-HNF



Wiz Sense
Starlight+

Price	Resolutio - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project price	8MP IP - X40	5.6- 223mm	500m Starlight Polar Light	63.9° ~ 2°		IP67 Smart Wiper	0,001Lux	PFA118 PFA150 PFB301S-E

CAMSPD.159 PSDW8842M-A180



Wiz Sense
Starlight+

Price	Resolutio - Optical Zoom	Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project price	4 X 2MP 1 X 4MP ptz X40	5.6- 223mm	400m Starlight	61.4° ~ 2.27° Panoramic		IP67 Smart Wiper	0,001Lux	PFB710C- SG PFA153-SG

CAMTH.008 TPC-BF2221-B3F4



Price	Resolution	Visible Lens - Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project Price	2MP IP	4mm - 3,5mm	35m	50.6° 80°	-	IP67	0,005Lux	PFA121

CAMTH.003 TPC-BF2120




Price	Resolution	Visible Lens - Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project Price	2MP IP	4mm - 1mm	35m	86,2 ° 56 °		IP67	0,005Lux	PFA122

CAMTH.009 TPC-SD2221-B3F4



Price	Resolution	Visible Lens - Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
Project Price	2MP IP	4mm - 3,5mm	35m	84°	-	IP66	0,005Lux	PFB305W


CAMTH.019 TPC-BF5421-T



Fever Detection

Price	Resolution	Visible Lens - Thermal Lens	Distance IR (Visible lens)	Field of View (Thermal)	WDR	Protection Level	Min. Illumination	Bracket
Project Price	2MP-IP 300x400 thermal	2,8mm - 7mm	35m	24 °		IP67	0,002Lux	PFA122

MONTH.001 JQ-D70Z Black Body



Fever Detection

Price	Temperature resolution:	Effective emissivity	Temperature measurement accuracy	Temperature stability:	Ambient temperature and humidity:	Power	Working temperature:
Project Price	0.1 °C	0.97 ± 0.02	± 0.2 °C (single point)	± (0.1 ~ 0.2) °C / 30min	0 ~ 40 °C / ≤80% RH-	220VAC 50Hz	40.0 °C

CAMSPD.129
TPC-SD2221-B7F8



Price	Resolution Thermal Optical	Visible Lens - Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
1.929€	256x192 VOx 2MP 1/2.8	8mm-7mm	50m	24° 40°	Yes	IP66	0,005Lux	PFA140 PFA121 PFA111

TPC-BF5401



Price	Resolution Thermal	Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Power Supply	Bracket
Project Price	400x300 VOx	7.5mm-13mm 25mm 35mm	-	53.7° 30.2° 15.5° 11.1°	Yes	IP67	DC12V PoE/ePoE	PFA121 PFA152-E

CAMTH.025
TPC-BF1241-D3F4



Price	Resolution Thermal Optical	Visible Lens - Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
942€	256x192 VOx 4MP 1/2.7	4mm-3.5mm	50m	24° 50.6	-	IP67	0,005Lux	PFA152-E PFA130-E

CAMTH.026
TPC-DF1241-D3F4



Price	Resolution Thermal Optical	Visible Lens - Thermal Lens	Distance IR	Field of View	WDR	Protection Level	Min. Illumination	Bracket
942€	256x192 VOx 4MP 1/2.7	4mm-3.5mm	-	71.2° 50.6°	-	IP67	0,005Lux	PFA106 PFB203W PFA130-E

ASI7213X-T1



Price	Resolution	LCD	Users	Temperature monitoring distance	WDR	Temperature monitoring range	Face Verification Accuracy	Card reader protocol
Project Price	2MP	7 inch	100.000	0.3 m -1.8 m	YES	30°C to 45°C	99.5%	1xRS-485, 1xWiegand

POE.054
DH-PFT1300
PoE Extender



41,00€	Port number	Shell	Port type
	3 Port	Plastic	1*RJ45 10/100M PoE input 1*RJ45 10/100M for IP Cam 1*RJ45 10/100M next extender

POE.030
DH-PFT1200
Hi-PoE Midspan



62,00€	Port number	Shell	Port type
	2 Port	Plastic	1*10/100/1000 Base-T 1*10/100/1000 Base-T(PoE power supply)

POE.020
PFS3005-4P-58
4-Port Fast Ethernet PoE Switch



75,00€	Port number	Shell	Port type
	5 Port	Metal	1*10/100 Base-T 4*10/100 Base-T (PoE power supply)

POE.075
PFS3006-4GT-60
6-Port Fast Ethernet 4 X PoE Switch



85,00€	Port number	Shell	Port type
	6 Port	Metal	2*10/100/1000 Mbps Uplink ports 4*10/100/1000 Mbps PoE

POE.078
PFS3110-8T
8-Port Fast Ethernet Switch



112,00€	Port number	Shell	Port type
	9 Port	Metal	1*10/100/1000 Base-X 8*10/100/1000 Base-T

POE.023
PFS3008-8ET-60
8-Port Fast Ethernet PoE Switch with 4-Port PoE



93,00€	Port number	Shell	Port type
	6 Port	Metal	2*10/100Mbps Uplink ports 4*10/100 Mbps PoE ports

POE.024
PFS3008-8GT-60
8-Port Gigabit Ethernet PoE Switch with 4Port PoE



105,00€	Port number	Shell	Port type
	8 Port	Metal	4*10/100/1000Mbps PoE ports 4*10/100/1000Mbps ports

POE.025
PFS3106-4P-60
4-Port PoE Switch (Unmanaged)



107,00€	Port number	Shell	Port type
	6 Port	Metal	1*100/1000 Base-X 1*10/100/1000 Base-T 4*10/100 Base-T (PoE power supply)

POE.071
LR2110-8ET-120
8-Port EPoE Switch (Unmanaged)



389,00€	Port number	Shell	Port type
	8 Port	Metal	8 x 10/100Mbps ePoE 1 x Gigabit Combo 1 x/SFP

BOX.014
PFH610N-IR-W
14 " Full function Housing box



324,00€	IR Distance	Wiper	Case
	100M	YES	IP66 HEATER COOLER

POE.029
PFS4218-16ET-190
16-Port PoE Switch



410,00€	Port number	Shell	Port type
---------	-------------	-------	-----------

20 Port	Metal	2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 16*10/100 Base-T (PoE power supply)
---------	-------	--

POE.051
PFS4218-16GT-240
16-Port PoE Gigabit Managed Switch



Project Price	Port number	Shell	Port type
---------------	-------------	-------	-----------

18 Port	Metal	16*10/100/1000 Base-T (PoE power supply) 2*100/1000
---------	-------	--

POE.049
PFS3117-16ET-135
16 Port FE PoE + 1 Port Gigabit Combo



267,00€	Port number	Shell	Port type
---------	-------------	-------	-----------

17 Port	Metal	16 x 10/100Mbps RJ45 1 x Gigabit Combo (RJ45/SFP)
---------	-------	--

POE.064
PFL2106-4ET-96
4-Port ePoE Switch



185,00€	Port number	Shell	Port type
---------	-------------	-------	-----------

6 Port	Metal	4 x 10/100Mbps ePoE 1 x Gigabit Combo 1 x/SFP
--------	-------	--

POE.065
PFS3110-8ET-96
8-Port PoE Switch (Unmanaged)



149,00€	Port number	Shell	Port type
---------	-------------	-------	-----------

10 Port	Metal	1*1000 Base-X 1*10/100/1000 4*10/100 Base-T (PoE+/PoE)
---------	-------	--

POE.050
PFS3125-24ET-190
24 Port FE PoE + 1 Port Gigabit Combo



330,00€	Port number	Shell	Port type
---------	-------------	-------	-----------

25 Port	Metal	4 x 10/100Mbps RJ45 1 x Gigabit Combo (RJ45/SFP)
---------	-------	---

TES.005
PFM906
Integrated Mount Tester



1.490€	Screen	Network port	BNC port
--------	--------	--------------	----------

7 inch	3* 10/100M RJ45(LAN/PSE, PD, UTP/Scan)	2* video in(SDI, HDCVI/TVI/AHD/CVBS), 1* video out
--------	--	--

TES.004
PFM907
Wi-Fi Tester



1.370€	Screen	Video Support	Resolution
--------	--------	---------------	------------

7 inch	HDCVI/HDTV/ AHD/CVBS) & IP	CVI:720P/1080 P/4MP/4K AHD&TVI:1080 P/4MP
--------	----------------------------	--

TES.007
PFM900-E
Integrated Mount Tester



950€	Screen	Video Support	Resolution
------	--------	---------------	------------

4	IP, HDCVI/AHD/TVI/CVBS	Up to 5MP
---	------------------------	-----------

TES.006
PFM905-E
Tester for HD analog cameras



480€	Screen	Video Support	Resolution
------	--------	---------------	------------

4	IP, HDCVI/AHD/TVI/CVBS	Up to 4MP
---	------------------------	-----------

NVR series, NVR AI series, Ultra NVR and Server Storage





Less False, Better Guard

Dahua Technology launches IP Solution with **SMD Plus**

- False Alarm Filter
- Quick Target Search
- Easy Configuration
- Affordable Solution



NVR04.009 NVR2104-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
108,00€	8MP	4Ch	80Mbps	1ch@8MP/4ch@1080P	-	80Mbps	1SATA interface	YES YES

NVR08.011 NVR1108HC-S3



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
117,00€	6MP	8Ch	40Mbps	1 ch @ 6 MP 30 fps, 4 ch @ 1080P 25 fps	-	20Mbps	1SATA interface	

NVR16.010 NVR4216-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
247,00€	8MP	16Ch	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	-	Mbps	4SATA interface	

NVR32.007 NVR4432-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
536,00€	8MP	32Ch	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	16in/4out	Mbps	4SATA interface	

NVR32.019 NVR5432-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
802,00€	12MP	32Ch	320 Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	16in/6out	320Mbps	4SATA interface	

NVR04.012
NVR2104-I



AI



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm	AI	Hard disc	HDMI VGA Output
132,00€	up to 8MP	4Ch	80Mbps	1x 8mp@30fps 4x 2mp@3fps	-	2x Perimeter or 1x face Detection or 4x SMD+	1SATA interface	YES YES

NVR08.021
NVR2108-I



AI



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm	AI	Hard disc	HDMI VGA Output
152,00€	up to 8MP	8Ch	80Mbps	1x 8mp@30fps 4x 2mp@3fps	-	2x Perimeter or 1x face Detection or 4x SMD+	1SATA interface	YES YES

NVR04.011
NVR2104HS-I



AI



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm	AI	Hard disc	HDMI VGA Output
152,00€	up to 8MP	4Ch	80Mbps	1x 8mp@30fps 4x 2mp@3fps	-	2x Perimeter or 1x face Detection or 4x SMD+	1SATA interface	YES YES

NVR08.020
NVR2108HS-I



AI



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm	AI	Hard disc	HDMI VGA Output
169,00€	up to 8MP	8Ch	80Mbps	1x 8mp@30fps 4x 2mp@3fps	-	2x Perimeter or 1x face Detection or 4x SMD+	1SATA interface	YES YES



NVR16.014
NVR4216-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
516,00€	12MP	16Ch	200Mbps	2-ch@8MP(30fps), 8-ch@1080P(30fps)	-	Mbps	2SATA interface	

NVRP16.013
NVR4216-16P-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
836,00€	12MP	16Ch	200Mbps	2-ch@8MP(30fps), 8-ch@1080P(30fps)	4in/2out	Mbps	2SATA interface	

NVR32.009
NVR4432-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
876,00€	12MP	32Ch	200Mbps	2-ch@8MP(30fps), 8-ch@1080P(30fps)	16in/4out	Mbps	4SATA interface	

NVR32.010
NVR5832-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
Project Price	16MP	32Ch	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	16in/6out	Mbps	8SATA interface	

NVR64.002
NVR5864-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Outgoing bandwidth	Hard disk	HDMI VGA Output
Project Price	16MP	64Ch	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)		Mbps	8SATA interface	

NVR04.006
NVR2104HS-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm inputs	Audio input	Hard disk	HDMI VGA Output
108,00€	12MP	4Ch	80Mbps	1- ch@8MP(30fps), 4- ch@1080P(30fps)	-	1in/1out	1SATA interface	Yes Yes

NVR08.013
NVR2108HS-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Inputs	Audio input	Hard disk	HDMI VGA Output
127,00€	12MP	8Ch	80Mbps	1- ch@8MP(30fps), 4- ch@1080P(30fps)	-	1in/1out	1SATA interface	Yes Yes

NVR16.018
NVR4116HS-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Inputs	Audio input	Hard disk	HDMI VGA Output
185,00€	12MP	16Ch	80Mbps	2- ch@8MP(30fps), 8- ch@1080P(30fps)	-	1in/1out	1SATA interface	Yes Yes

NVR32.016
NVR4232-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Inputs	Audio input	Hard disk	HDMI VGA Output
309,00€	12MP	32Ch	200Mbps	2- ch@8MP(30fps), 8- ch@1080P(30fps)	4in/2out	1in/1out	2SATA interface	Yes Yes

NVR08.014
NVR5208-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	HDMI VGA Output
431,00€	12MP	8Ch	320Mbps	4- ch@8MP(30fps), 8- ch@1080P(30fps)	4in/2out	1in/1out	2SATA interface	Yes Yes

NVR32.013 NVR608-32-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Alarm - Audio input	Hard disk	HDMI VGA Output
1.497€	12MP	32Ch	384Mbps	32ch@1080P/8ch@k	16in/8out	1in/1out	8SATA RAID 0/1/5/10	Yes Yes

NVR32.014 NVR608-64-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	HDMI VGA Output
2.657€	12MP	64Ch	384Mbps	64ch@1080P/8ch@k	16in/8out	1in/1out	8SATA RAID 0/1/5/10	Yes Yes

NVR32.014 NVR608-128-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Alarm - Audio input	Hard disk	HDMI VGA Output
2.881€	12MP	128Ch	384Mbps	128ch@1080P/8ch@k	16in/8out	1in/1out	8SATA RAID 0/1/5/10	Yes Yes

SER.003 DSS4004-S2



Price	DSS Expres	Video Channels	Incoming bandwidth	Main Processor	Memory	Recognition Camera	ANPR Camera	Storage Support
Project Price	Free	512 IP devices	350Mbps	64 bit 4 core CPU	8GB	32ch	32ch	ISCSI

NVR64.004 NVR616-64-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm in/out	Audio input	Hard disk	HDMI VGA Output
4.300€	12MP	64Ch	384Mbps	16-channel decoding @1080p (30 fps);	16in/8out	1in/1out	16SATA RAID 0/1/5/10	Yes Yes

NVR128.006 IVSS7008



Face Recognition

Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	Metadata SMD plus Face Rec Perimeter protection
Project Price	12MP	64Ch	512Mbps	20ch@1080/ 6ch@12mp 10ch@8mp	16in/8out	1in/2out	8SATA RAID 0/1/5/10	Yes Yes Yes

NVR128.005 IVSS7008-11



Face Recognition

Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	Metadata SMD plus Face Rec Perimeter protection
Project Price	12MP	128Ch	400Mbps	20ch@1080/ 6ch@12mp 10ch@8mp	16in/8out	1in/1out	8SATA RAID 0/1/5/10	Yes Yes Yes

NVR128.004 IVSS7008-21



Face Recognition

Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	Metadata SMD plus Face Rec Perimeter protection
Project Price	12MP	128Ch	400Mbps	20ch@1080/ 6ch@12mp 10ch@8mp	16in/8out	1in/1out	8SATA RAID 0/1/5/10	Yes Yes Yes

NVR256.004 IVSS7024-161



Face Recognition

Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	Metadata SMD plus Face Rec Perimeter protection
Project Price	12MP	256Ch	512Mbps	24ch@1080/ 7ch@12mp 12ch@8mp	16in/8out	1in/1out	24SATA SAS/RAID 0/1/5/10	Yes Yes Yes

NVR128.003 IVSS7024-81



Face Recognition

Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio input	Hard disk	Metadata SMD plus Face Rec Perimeter protection
Project Price	12MP	256Ch	512Mbps	24ch@1080/ 7ch@12mp 12ch@8mp	16in/8out	1in/1out	24SATA SAS/RAID 0/1/5/10	Yes Yes Yes

NVRP04.004 NVR1104HC-4P-S3



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
148,00€	6MP	4Ch Poe	40Mbps	1 ch @ 6 MP 30 fps, 4 ch @ 1080P 25 fps	-	-	1SATA interface	

NVRP08.012 NVR1108HS-8P-S3



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
257,00€	6MP	8Ch Poe	40Mbps	1 ch @ 6 MP 30 fps, 4 ch @ 1080P 25 fps	-	-	1SATA interface	

NVRP04.003 NVR2104HS-P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
210,00€	8MP	4Ch Poe	80Mbps	1ch@8MP 30fps, 4ch@1080P 30fps	-	1in/1out	1SATA interface	

NVRP08.008 NVR2108-8P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
289,00€	8MP	8Ch Poe	80Mbps	1ch@8MP 30fps, 4ch@1080P 30fps	-	1in/1out	1SATA interface	

NVRP08.009 NVR4108HS-8P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
315,00€	8MP	8Ch Poe	80Mbps	2ch@4K(30fps)/8 ch@1080P(30fps)	-	1in/1out	1SATA interface	

NVRP08.011 NVR4208-8P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
401,00€	8MP	8Ch Poe	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	4in/1out	1in/1out	2SATA interface	

NVRP16.008 NVR4216-16P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
535,00€	8MP	16Ch Poe	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	4in/2out	1in/1out	2SATA interface	

NVRP16.010 NVR4416-16P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
696,00€	8MP	16Ch Poe	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	-	1in/1out	4SATA interface	

NVR16.019 NVR4416-16P-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	ANPR SMD plus Face Rec Perimeter protection
1.076€	12MP	16Ch 16Ch ePoE	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	16in/4out	1in/1out	4SATA interface	Yes

NVRP32.005 NVR4432-16P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
836,00€	8MP	32Ch 16Ch Poe	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	-	1in/1out	4SATA interface	

NVRP08.010 NVR5208-8P-4KS2E



PROMO

ePoE



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
650,00€	12MP	8Ch Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	4in/2out	Mbps	2SATA interface	

NVRP16.009 NVR5216-16P-4KS2E



ePoE



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
711,00€	12MP	16Ch Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	4in/2out	Mbps	2SATA interface	

NVR32.012 NVR5432-16P-I



AI Face Recognition



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	ANPR SMD plus Face Rec Perimeter protection
1.996€	12MP	32Ch 16Ch /8 x ePoE	200Mbps	4ch@4K 30fps, 16ch@1080P 30fps	16in/6out	1in/1out	4SATA interface	Yes

NVRP24.000 NVR5224-24P-4KS2



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
1.191,00€	12MP	24Ch Poe	320Mbps		4in/2out	Mbps	2SATA interface	

NVRP32.004 NVR5232-16P-4KS2E



ePoE



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputsh	Hard disk	HDMI VGA Output
772,00€	12MP	32Ch 16Ch Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	4in/2out	Mbps	2SATA interface	

NVRP16.011 NVR5416-16P-4KS2E



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
974,00€	12MP	16Ch Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	-	Mbps	4SATA interface	

NVRP32.006 NVR5432-16P-4KS2E



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
1.056,00€	8MP	32Ch 16Ch poe /8 x ePoe	200Mbps	2ch@4K 30fps, 8ch@1080P 30fps	16in/6out	Mbps	4SATA interface	

NVRP16.012 NVR5216-8P-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
1.436,00€	16MP	16Ch 8Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	4in/2out	Mbps	2SATA interface	

NVRP16.014 NVR5216-16P-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
1.595,00€	16MP	16Ch Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	4in/2out	Mbps	2SATA interface	

NVRP32.012 NVR5432-16P-I



Price	Resolution	IP Video Input	Incoming bandwidth	Decoding	Alarm Output	Audio Inputs	Hard disk	HDMI VGA Output
1.996,00€	16MP	32Ch 16Poe	320Mbps	4-ch@8MP(30fps), 16-ch@1080P(30fps)	16in/6out	Mbps	SATA interface	

CON.007
LR1002
EoC Passive
Converter

Price	ESD	Function Port	Transmission Bandwidth
19,00€	ESD	Function Port	Transmission Bandwidth



Input	Output	Cable
1*10/100 Mbps Base-TX	1*BNC	RG59 coaxial cable: 400m/100Mbps, 1000m/10Mbps

CON.009
LR1002-1ET
Single-Port
Long Reach
Ethernet over
Coax Extender

Price	ESD	Function Port	Compatible Format
41,00€	ESD	Function Port	Compatible Format



Input	Output	Cable
1*10/100 Mbps Base-TX	1*BNC	RG59 coaxial cable: 400m/100Mbps, 1000m/10Mbps

CON.008
LR1002-1EC
Single-Port
Long Reach
Ethernet over
Coax Extender

Price	ESD	Function Port	Transmission Bandwidth
41,00€	ESD	Function Port	Transmission Bandwidth



Input	Output	Cable
1*10/100 Mbps Base-TX	1*BNC	RG59 coaxial cable: 400m/100Mbps, 1000m/10Mbps

BNCP.015
DH-PFM801
1 Channel
Passive Balun
with Power

Price	ESD	Resolution	Compatible Format
19,00€	ESD	Resolution	Compatible Format



Input	Output
1080P/4MP/4MP	HDCVI/TVI/AHD/CVBS

BNCP.014
DH-PFM800-4K
1-CH Passive
Video Balun

Price	ESD	Resolution	Compatible Format
8,00€	ESD	Resolution	Compatible Format



Input	Output
1080P/4MP/5MP/4K	HDCVI/TVI/AHD/CVBS

TVBOX.001
DPB18-AI
AI Android
Player Box



Project Price	Video Output	Decoding Capacity	Ethernet
Project Price	Video Output	Decoding Capacity	Ethernet



Input	Output
1 HDMI	1CH@4K, 60fps
	1 RJ45

MON22.005
LM22-L200
FHD MonitorBase
Station

Price	Inputs	Display color	Resolution
399,00€	Inputs	Display color	Resolution



Input	Output
VGA×1, HDMI×1, BNC×1, Audio×1	16.7M
	1920×1080 (FHD)


MON22.003
DHL22-F600
FHD MonitorBase
Station

Price	Inputs	Display color	Resolution
249,90€	Inputs	Display color	Resolution



Input	Output
VGA×1, HDMI×1, Audio×1	16.7M 60Hz
	1920×1080 (FHD)

Anti-Corrosion Cameras



Μάρτιος 2021

** οι τιμές δεν περιλαμβάνουν
ΦΠΑ 24%

ΠΟΜΠΟΔΑΚΗΣ ΜΕΛΕΤΑΚΗΣ ΟΕ "WiFiNET"

* οι τιμές είναι οι προτεινόμενες τιμές λιανικής από την εταιρεία.
από εμάς αγοράζετε με ΕΚΠΤΩΣΗ 30%

Anti-Corrosion Cameras

CAMIP2MP.206 SDZW2000T-SL



Starlight

Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	Material	Protection Level	Min. Illumination	Bracket
Call for price	2MP	3.6mm	30m	87°	316L Stainless Steel	NEMA 4X IP68 IK10	0,005Lux	PFB733W-SL

CAMIP4MP.149 IPC-HDEW8441R-Z



Starlight

Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	Material	Protection Level	Min. Illumination	Bracket
Call for price	4MP	2.7 mm~13.5 mm	50m	100.4°~30.2°	316L Stainless Steel	Explosion-proof IP68 IK10	0,005Lux	PFB733W-SL

CAMIP2MP.205 HDBW8232E-Z-SL



Starlight

Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	Material	Protection Level	Min. Illumination	Bracket
Call for price	2MP	4.1mm~16.4mm	50m	92°~32°	316L Stainless Steel	NEMA 4X IP67 IK10	0,002Lux	PFB720WA

CAMIP2MP.204 SDZW2030U-SL2



Starlight

Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	Material	Protection Level	Min. Illumination	Bracket
Call for price	2MP 30x optical zoom	4.5mm~135mm	100m	67.8° ~ 2.4°	316L Stainless Steel	NEMA 4X IP68	0,005Lux	EXB109

CAMSPD.154 SD60230U-HNI-SL




Starlight

Wiz Sense

Price	Resolution	Lens	Distance IR	Field of View	Material	Protection Level	Min. Illumination	Bracket
Call for price	2MP 30x optical zoom	4.5mm~135mm	Starlight	67.8° ~ 2.4°	316L Stainless Steel	IK10 NEMA 4X IP68	0,005Lux	PFA120-SL PFB303W-SL



Radar-Perimeter Protection



Perimeter Protection Radar

RAD.106 PFR4K-E50



Price	Range	Detection Distance	Target Number	Max. Detection Speed	Alarm Output	Working environment	Ingress Protection	SD card
Project price	H: 120° V: 36°	50 m	64	40 km/h	1in/4out	-40°C to +70°C	IP67/IK09	Yes

RAD.107 PFR4K-E120



Price	Range	Detection Distance	Target Number	Max. Detection Speed	Alarm Output	Working environment	Ingress Protection	SD card
Project price	H: 120° V: 26°	Human: 120m Vehicle: 150m	64	40 km/h	1in/4out	-40°C to +70°C	IP67/IK09	Yes

RAD.108 PFR4K-D300



Price	Range	Detection Distance	Target Number	Max. Detection Speed	Alarm Output	Working environment	Ingress Protection	SD card
Project price	H: 90° V: 13°	Human: 300m Vehicle: 450m	32	80 km/h	1in/5out	-40°C to +65°C	IP67/IK10	Yes

RAD.109 PFR4K-D450



Price	Range	Detection Distance	Target Number	Max. Detection Speed	Alarm Output	Working environment	Ingress Protection	SD card
Project price	H: 90° V: 13°	Human: 450m Vehicle: 600m	32	80 km/h	1in/5out	-40°C to +65°C	IP67/IK10	Yes

CAMIP2MP.167 PFR4KS-E50



Price	Camera Resolution	Focal Lens	Distance IR	Radar Range	Radar Detection Distance	Protection Level	Min. Illumination	Camera Zoom
Project price	2MP	6mm~198mm	220m	H: 120° V: 20°	50m	IP67 IK10	0,0024Lux	33x

PSF.000
AWZ586
POWER MODULE 2OUT-
PUT 1A WITH FUSE

Price
8,60€ 2 Channel




PSF.001
AWZ576
POWER MODULE 4OUT-
PUT 1A WITH FUSE

Price
11,40€ 4 Channel




PSF.002
AWZ580
POWER MODULE 8OUT-
PUT 1A WITH FUSE

Price
15,00€ 8 Channel




REL.000
AWZ514
RELAY MODULE PCB 1

Price
10,40€ 1 Channel





REL.001
AWZ529
RELAY MODULE PCB 2

Price
13,40€ 2 Channel




REL.002
AWZ528
RELAY MODULE PCB 3

Price
17,00€ 3 Channel




DCD.000
RN25024
STEPDOWN MODULES
24V TO 12VDC

Price
26,00€ DC/DC




DCD.001
RN500
STEPDOWN MODULES
14V TO 12VDC

Price
26,00€ DC/DC




DCD.002
DCDC20
STEPDOWN MODULES
28V TO 5VDC

Price
26,00€ DC/DC




DCD.005
DCDC15H
STEPDOWN MODULES
40V TO 12VDC

Price
19,20€ DC/DC




PSC.066
PSC12010
STEPDOWN MODULES
14V TO 12VDC

Price
26,00€ AC/DC




OVM.000
AWZ540
OVERVOLTAGE
PROTECTION

Price
10,00€ DC/DC




MPS.000
MPSB12
AUTOMATION MODULE

Price
26,00€ Auto BRD




CON.004
4 DIN DC
4 DIN DC CONNECTOR
FOR HIKVISION DVR

Price
5,00€ DC/DC



POE.000
P-POE1
ETHERNET POWER
CABLE

Price
7,00€ DC/DC



BOX.000
PP6X2
CASING BOX ABS
85X55X40

Price

20,00€

Plastick
Box



BOX.005
AWO528W
Wall Mounted Metal Box
for Recorders

Price

104,00€

Metal
Box



BOX.006
AWO529W
Wall Mounted Metal Box
for Recorders

Price

154,00€

Metal
Box



BOX.007
AWO530W
Wall Mounted Metal Box
for Recorders

Price

194,00€

Metal
Box



BOX.008
AWO447
Metal Box for Recorders

Price

84,00€

Metal
Box



BASE.100
AWO445BR
Metal Enclosures For
AWO447

Price

12,00€

Enclosures



POE.003
POE044816
4CH POE POWER SUP-
PLY WITH BOX

Price

144,00€

AC/DC



POE.004
POE084832
8CH POE POWER SUP-
PLY WITH BOX

Price

182,00€

AC/DC



PSC.024 PSDC05125T CCTV POWER SUPPLY 12V DC 5A 	Price 82,00€ AC/DC 	PSC.025 PSDC08128T CCTV POWER SUPPLY 12V DC 8A 	Price 94,00€ AC/DC 	PSC.026 PSDC161212T CCTV POWER SUPPLY 12V DC 12A 	Price 106,00€ AC/DC 
PSC.042 HPSB3512C CCTV POWER SUPPLY 14V DC 3A WITH BACK UP FUNCTION 	Price 70,00€ AC/DC 	PSC.043 HPSB11A12C CCTV POWER SUPPLY 14V DC 10A WITH BACK UP FUNCTION 	Price 90,00€ AC/DC 	PSC.050 PSDC161216T CCTV POWER SUPPLY 12V DC 16A 	Price 114,00€ DC/DC 
PSC.071 HPSB20A12E CCTV POWER SUPPLY 14V DC 20A WITH BACK UP FUNCTION 	Price 224,00€ DC/DC 	PSC.044 HPSB5512C CCTV POWER SUPPLY 14V DC 5A WITH BACK UP FUNCTION 	Price 112,00€ AC/DC 		
MPA.016 NP7-12 Yuasa Battery 12V-7Ah 	Price 37,00€	MPA.015 NP2.3-12 Yuasa Battery 12V-2.3Ah 	Price 29,00€	MPA.014 NP1.2-12 Yuasa Battery 12V-1.2Ah 	Price 27,00€